













Groz Engineering Tools (P) Ltd. Groz Net Industries

Village Kherki Daula, National Highway-8 Gurgaon-122002, Haryana, INDIA TEL +91.124.282.7734/40, 2827777 FAX +91.124.2827980, 2827986

E-MAIL india@groz-tools.com URL www.groz-tools.com

April 2016

The GROZ name, GROZ logo and the � mark are trademarks of Groz Engineering Tools (P) Ltd., India





	CAT NR.	DETAILS	MRP (₹)	MOQ.
	DIRECT DRIVE AIR COM	IPRESSOR		
	RAC/DD/2-11/24-1	2 HP Direct Drive Air Compressor, Tank Capacity: 24 litres	19,990.00	1

lubricants & penetrants (rust removal and prevention)

19	GO SERIES			NEW!
	GO20	Rust preventive lubricant spray 300 gm	285.00*	12
	GO12	Rust remover gel 200ml	350.00*	12
	GO10	Penetrating rust solvent spray 400 gm	575.00*	12

greasing equipment

No. of the last of	LEVER GREASE GUN HE	EAVY DUTY		
	G1R/HD/B	150 mm rigid steel extension & 4 jaw coupler Delivers: Upto 1 gm/stroke, Develops: Upto 10,000 PSI	996.00	16
	LEVER GREASE GUN HE	AVY DUTY - V SERIES		
111	VIR/HD/CP/B	150 mm rigid steel extn. & 4 jaw coupler, Zinc Plated, Delivers: Upto 1 gm/stroke, Develops: Upto 6,000 PSI	781.00	16
7	V1R/HD/BL/B	150 mm rigid steel extn. & 4 jaw coupler, Black Finish, Delivers: Upto 1 gm/stroke, Develops: Upto 6,000 PSI	713.00	16
	LEVER GREASE GUNS -	V SERIES	Ţ.	
-	V1R/B	150 mm rigid steel extn. & 4 jaw coupler, Orange finish Delivers: Upto 1 gm/stroke, Develops: Upto 6,000 PSI	659.00	16
1	V1R/BL/B	150 mm rigid steel extn. & 4 jaw coupler, Black finish Delivers: Upto 1 gm/stroke, Develops: Upto 6,000 PSI	659.00	16
7	LEVER GREASE GUN SU	PER VALUE		
1	G1R/B/T/EC/BL	150 mm rigid steel extension & 4 jaw coupler Delivers: Upto 1 gm/stroke, Develops: Upto 6,000 PSI	713.00	16
5	PISTOL GREASE GUN			
	G5R/B	100 mm rigid steel extension & 4 jaw coupler Delivers: Upto 0.5 gm/stroke, Develops: Upto 5,000 PSI	947.00	16
N 124 20	MINI LEVER GREASE GU	N		
	G14R/B	150 mm steel extension and 4 jaw coupler Delivers: Upto 0.55 gm/stroke, Develops: Upto 6,000 PSI	508.00	30
4	MINI PISTOL GREASE GU	JN - DELUXE		
The state of the s	G-16/B	100 mm rigid steel extension & 4 jaw coupler Delivers: Upto 0.30 gm/stroke, Develops: Upto 3,500 PSI	498.00	30
	PUSH TYPE GREASE GUI	NS		
-	G6P	Capacity: 30 gms, Delivers: Upto 0.90 gm/shot Develops: Upto 1,000 PSI	310.00	50
	G7P	Capacity: 125 gms, Delivers: Upto 0.90 gm/shot Develops: Upto 1,000 PSI	364.00	50
	GREASE GUN COUPLERS	S - STANDARD		
	HC/11/4/B	4 Jaw Coupler, 3,000 PSI, Threaded 1/8" BSPT	63.00	500
	HC/11/4/BSP	4 Jaw Coupler, 3,000 PSI, Threaded 1/8" BSP	63.00	100
	HC/11/4/B/ST54	Set of 54 Couplers, Threaded 1/8" BSPT	3,254.00	1
	GREASE GUN COUPLERS	S - PROFESSIONAL		
	HC/14/3/B	3 Jaw Coupler, 6,000 PSI, Threaded 1/8" BSPT	87.00	100
1	HC/14/4/B	4 Jaw Coupler, 6,000 PSI, Threaded 1/8" BSPT	87.00	100
	HC/14/4/B/ST54	Set of 54 Four Jaw Couplers, Threaded 1/8" BSPT	4,424.00	1
	GREASE GUN COUPLERS	S - HEAVY DUTY		
7	HC/12/3/B	3 Jaw Coupler, 10,000 PSI, Threaded 1/8" BSPT	143.00	100
	HC/12/4/B	4 Jaw Coupler, 10,000 PSI, Threaded 1/8" BSPT	143.00	100
Appendix Co.				
	GREASE GUN HOSES	Longth, 700 mm (12%)	120.00	70
	GREASE GUN HOSES GHC-12/B	Length: 300 mm (12")	128.00	30
	GREASE GUN HOSES GHC-12/B GHC-18/B	Length: 450 mm (18")	153.00	20
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B	Length: 450 mm (18") Length: 500 mm (20")		
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT	Length: 450 mm (18") Length: 500 mm (20") TENSIONS	153.00 180.00	20 10
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B	Length: 450 mm (18") Length: 500 mm (20")	153.00	20 10 100
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS	Length: 450 mm (18") Length: 500 mm (20") FENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6")	153.00 180.00 31.00	20 10 100
(<u> </u>	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B	Length: 450 mm (18") Length: 500 mm (20") FENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6")	153.00 180.00 31.00	20 10 100
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Pads Straight, Overall Length: 16 mm max., Hex Size: 7 mm	153.00 180.00 31.00	20 10 100 100
((((((((((GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Three	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6")	153.00 180.00 31.00 40.00	20 10 100 100
€	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Pads Straight, Overall Length: 16 mm max., Hex Size: 7 mm	153.00 180.00 31.00 40.00	20 10 100 100
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1 GFT/6/1/45	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Bads Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00	20 10 100 100 100 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1 GFT/6/1/45 GFT/6/1/90	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Bads Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00	20 10 100 100 100 50 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1/45 GFT/6/1/90 8.0 x 1.0 mm Taper Thre	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Pads Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00	20 10 100 100 100 50 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Three GFT/6/1 GFT/6/1/90 8.0 x 1.0 mm Taper Three GFT/8/1	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Bads Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm pads Straight, Overall Length: 16 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00 11.00	20 10 100 100 100 50 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1 GFT/6/1/90 8.0 x 1.0 mm Taper Thre GFT/8/1 GFT/8/1	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 16 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00 11.00 18.00	20 10 100 100 100 50 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1/45 GFT/6/1/90 8.0 x 1.0 mm Taper Thre GFT/8/1 GFT/8/1/90	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 16 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	153.00 180.00 31.00 40.00 9.00 18.00 11.00 18.00	20 10 100 100 100 50 50
	GREASE GUN HOSES GHC-12/B GHC-18/B GHC-20/B GREASE GUN STEEL EXT GSP/4/B GBP/6/B GREASE FITTINGS 6.0 x 1.0 mm Taper Thre GFT/6/1/90 8.0 x 1.0 mm Taper Thre GFT/8/1 GFT/8/1/45 GFT/8/1/45 GFT/8/1/90 10.0 x 1.0 mm Taper Thre	Length: 450 mm (18") Length: 500 mm (20") TENSIONS Straight, Length: 100 mm (4") Bent, Length: 150 mm (6") Peads Straight, Overall Length: 16 mm max., Hex Size: 7 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 16 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 45°, Overall Length: 21 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm 90°, Overall Length: 18 mm max., Hex Size: 9 mm	9.00 18.00 18.00 18.00 18.00 18.00 18.00	20 10 100 100 100 50 50 100 50

				april 2016
	CAT NR.	DETAILS	MRP (₹)	MOQ.
	10.0 x 1.5mm Taper Ti	nreads		
	GFT/10/1.5	Straight, Overall Length: 16 mm max., Hex Size: 11 mm	17.00	100
(1)	GFT/10/1.5/45	45°, Overall Length: 21 mm max., Hex Size: 11 mm	22.00	50
D	GFT/10/1.5/90	90°, Overall Length: 18 mm max., Hex Size: 11 mm	22.00	50
	1/8" x 28 BSPT - Tape	er Threads		
	GFT/R/1-8/28	Straight, Overall Length: 16 mm max., Hex Size: 11 mm	14.00	100
	GFT/R/1-8/28L	Long, Overall Length: 20 mm max., Hex Size: 11 mm	17.00	50
	GFT/R/1-8/28/45	45°, Overall Length: 21 mm max., Hex Size: 11 mm	21.00	50
	GFT/R/1-8/28/45L	45° long, Overall Length: 26.3 mm max., Hex Size: 11 mm	24.00	50
	GFT/R/1-8/28/90	90°, Overall Length: 18 mm max., Hex Size: 11 mm	21.00	50
	GFT/R/1-8/28/90L	90° long, Overall Length: 21.4 mm max., Hex Size: 11 mm	24.00	50
	1/4 "x 19 BSPT - Tapei	r Threads		
	GFT/R/1-4/19	Straight, Overall Length: 17.5 mm max., Hex Size: 9/16"	30.00	50
	GFT/R/1-4/19L	Long, Overall Length: 23.5 mm max., Hex Size: 0.60"	36.00	25
	GFT/R/1-4/19/45	45°, Overall Length: 22.5 mm max., Hex Size: 9/16"	35.00	50
	GFT/R/1-4/19/90	90°, Overall Length: 22 mm max., Hex Size: 9/16"	36.00	50
	EASY OUT TOOLS			
_	ESO/1	Tap Rethreads - 1/4" -28" SAE (LT), Open fittings with hex size 5/16" & 3/8"	590.00	10
	ESO/2	Tap Rethreads - 1/8" - 27 PTF Open fittings with hex size 3/8" & 7/16" (11 mm)	760.00	10
	DELUXE STEEL BEARI	NG PACKER - RAPID ACTION		
	BEP/625	For bearing with minimum inner dia. 1/2" to max. outer dia. 6" for use with grease guns	1,575.00	12
	SUPER GUN - GREASE	CONTROL VALVE		NEW!
The second	KRGI/UB	Grease control valve compatible with portable greasing system GS/5	3,490.00	1
4.	PORTABLE GREASING	SYSTEM - MANUAL		
	GS/5	Bucket Capacity: 5 kg	10,793.00	1
	35,5	Delivers: 1.25 gm/stroke on high volume setting, Develops: 10,000 PSI on high pressure setting	10,700.00	·
	FOOT OPERATED GRE	ASE PUMP		
	FOP/10A	Capacity: 10 Kg Delivers: Upto 2 gm/stroke, Develops: 8,700 PSI	9,059.00	1
	BUCKET GREASE PUM	PS		
_	VGP/6A	Without wheels, Capacity 6 kg	5,196.00	1
1	VGP/6	With wheels, Capacity 6 kg	5,568.00	1
)	VGP/10A	Without wheels, Capacity 10 kg	5,840.00	1
1	VGP/10	With wheels, Capacity 10 kg	6,294.00	1
1	VGP/15	With wheels, Capacity 15 kg	6,846.00	<u>·</u> 1
	VGP/20	With wheels, Capacity 10 kg With wheels, Capacity 20 kg	8,122.00	
	AIR OPERATED GREAS	·	5,.22.00	
			10.661.00	1
	BGRP/15 BGRP/30	Pump with 15 kg in-built bucket Pump with 30 kg in-built bucket	19,661.00	1 1
	BGRP/50		23,893.00	1
_		Pump with 50 kg in-built bucket	25,486.00	·
	GREASE CONTROL VA	Grease Control Valve complete with Z swivel	3,907.00	1
	APG/HD/Z/1-4F/B			

oiling equipment

A.A.	LEVER ACTION BARREL PUMP					
	LBP/04/PT	Suitable for 50-210 litre drums Delivers: 300 ml/stroke	1,414.00	10		
٩	ROTARY BARREL PUMP	- V SERIES				
T	V25/3R/SPL/F	Dual Directional Pump Inlet: 1" Delivers: 5 litres/20 turns	2,277.00	4		
- 100 miles	EZEE FLOW PUMPS					
	EZF/DS/20	Downstroke pump for 20 to 25 litre drum with plastic pull out, With 7 adaptors good for several drums	1,270.00	10		
1	EZF/8	Suitable for 50 litre plastic drums with pull-out Reike spout, Delivers: 1 litre/15 strokes	970.00	10		
15/44.11	BUCKET OIL PUMPS - V SERIES					
	V12	Bucket Capacity: 12 litres, Delivers: Upto 125ml/stroke	2,496.00	1		
	V16	Bucket Capacity: 16 litres, Delivers: Upto 125ml/stroke	2,843.00	1		
2	V12W	Bucket with Wheels Capacity: 12 litres, Delivers: Upto 125ml/stroke	2,896.00	1		
7	V16W	Bucket with Wheels Capacity: 16 litres, Delivers: Upto 125ml/stroke	3,191.00	1		
-	OIL CONTROL GUN					
Д	OGN/SM/1-2R/B	With Steel Extension & Manual Non-Drip Nozzle Inlet: 1/2" BSPT (F)	3,222.00	5		
0 -	TRANSFER GUN					
5	SG/20	Dual action transfer gun, Capacity: 350 ml	1,416.00	20		

	CAT NR.	DETAILS	MRP (₹)	MOQ.
	OIL CANS - V SERIES			
	V200R	Capacity: 200ml, Complete with rigid steel spout	156.00	72
	V300R	Capacity: 300ml, Complete with rigid steel spout	164.00	72
	V500R	Capacity: 500ml, Complete with rigid steel spout	183.00	72
	PLASTIC MEASURES	Comparity of litera	170.00	40
	MSR/P/F-1	Capacity: 1 litre	170.00	40
	MSR/P/F-2	Capacity: 2 litre	224.00	25
	MSR/P/F-3 MSR/P/F-5	Capacity: 3 litre	317.00 402.00	20 15
		Capacity: 5 litre	+	12
191	MSR/P/F-6 MSR/P/F-8	Capacity: 6 litre	489.00	
	SMART FUNNELS	Capacity: 8 litre	621.00	12
	FNL/8	Capacity: 1.7 litres	274.00	15
V.			370.00	15
1	FNL/9B	Capacity: 3 litres, Complete with 2" Bung, For direct attachment on drums	370.00	15
	FUEL & OIL FUNNELS			NEW!
	FNL/11	Funnel Capacity: 4.7 litres, Without filter screen	339.00	15
a pro-	FNL/11F	Funnel Capacity: 4.7 litres, With filter screen	379.00	15
	CONICAL FUNNELS			NEW!
	FNL/6	Funnel Capacity: 650 ml	75.00	60
	FNL/7	Funnel Capacity: 1800 ml	159.00	40
	1 11:			
aste oil	handling			
	WASTE OIL DRAIN GRA	VITY FEED		
-	WOD/30G	Gravity Feed Waste Oil Drain, Capacity: 30 litres	12,638.00	1
	WOD/50G	Gravity Feed Waste Oil Drain, Capacity: 50 litres	13,383.00	1
- Carlo				
	METAL DRAIN PAN			NEW!
	ODR/7	Metal Drain Pan, Capacity: 26 litres	1,390.00	1
	DRAIN PAN			
	ODP/16	Oil Drain Pan, Capacity: 16 litres	953.00	15
	ODP/16/GN	Drain Pan - Green, Capacity: 16 litres	1,015.00	15
			,,,,,,,,,,,	
ıel hand	lling equipme	nt		
		W ELECTRIC FUEL PUMPS (EXPLOSION PROOF)		
	FPM/12/HF/D	12 V DC High flow pump	57,759.00	1
Same !	FPM/12/HF/MT/D	12 V DC High flow fuel pump with	69.654.00	1
1	1111/12/11/11/11/11	mechanical fuel meter	03,034.00	
1 /	FPM/12/HF/FMT/D	12 V DC High flow fuel pump with	75,154.00	1
		mechanical fuel meter & fuel filter		
No. 2		FUEL PUMPS (EXPLOSION PROOF)	T	
-	FPM/12/D	12V DC Pump	33,048.00	1
	FPM/24/D	24V DC Pump	36,025.00	1
1	FPM/220	220V AC Pump	36,025.00	1
	FPM/12/MT/D	12V DC Pump with mechanical fuel meter	47,920.00	1
W/	FPM/12/FMT/D	12V DC Pump with mechanical fuel meter & fuel filter	50,437.00	1
Printer and the second	CONTINUOUS DUTY EL		1	
	CDP/220/EU	220V ac, 50 Hz., Power cord included	14,044.00	1
d	MINI BOWSER - DIESEL	REFILLING SYSTEM		NEW
/	CBN/220EU/L/A	Complete system for diesel refilling application	49,998.00	1
Nie.	ELECTRIC DRUM PUMP			
3 14	EDR/55T/DC	Pump with DC Power cable (12V)	18,795.00	6
1	EDR/551/DC EDR/55T/AC/EU	Pump with AC Power adapter	20,780.00	6
1 / 1	EDR/551/AC/EU EDR/551/RB/19N/EU	Pump with 19.2V Rechargeable 1.5 Ah Ni Cd Battery	26,145.00	6
	ELECTRIC DIESEL PUMI		20,143.00	0
0	EDP/12M/ST	12V DC pump assembly with manual nozzle	20,212.00	4
(EDP/24M/ST	24V DC Pump assembly with manual nozzle	21,335.00	4
	201/2-11/31	2 DOT amp assembly warmand nozzle	21,000.00	4
6	INDUSTRIAL ROTARY F	UEL PUMPS (3 VANE)		
-	RBP/3V	Complete with steel discharge spout	6,674.00	1
16	RBP/3V/H	Complete with 8' anti-static fuel hose, non-sparking	8,426.00	1
TANA		aluminium nozzle & nozzle holder		
(a)	ROTARY BOOSTER PUN	1P 3:1		
	RB/3H	Geared Pump with 1.8m discharge hose, metal nozzle,	12,356.00	4
		spring & hose clamp, Delivers: Upto 500ml/rotation Empties a 210 litre drum in 3 minutes		
	MECHANICAL DIESEL N	·		
MAN B	FM-10/0-1/BSP	Inlet /Outlet: 1" BSP, Least Count: 0.10 litres	14,594.00	1
]	Flow Rate: 20 to 120 LPM	1 1,00 1.00	
		E - MANUAL (WITH SWIVEL)		
	FCN/S/3-4/3-4/N	Inlet: 3/4" NPT(F), Spout Dia.: 3/4" (OD)	2,299.00	1
	FCN/S/0-1/0-1/N	Inlet Thread: 1" NPT(F), Spout Dia.: 1" (OD)	2,299,00	1

Inlet Thread: 1" NPT(F), Spout Dia.: 1" (OD)

2,299.00

FCN/S/0-1/0-1/N

				april 20
	CAT NR.	DETAILS	MRP (₹)	MOQ.
FILT	TER WRENCH			
FW/	/FFL-02	Used for easy removal of filter bowl without damage	300.00	10
HIG	H FLOW 10 MICRON	FUEL FILTER		
FFL	-02/B	Fuel Filter, Threaded: 1" BSP(F)	3,121.00	10
FF/I	FFL/10	Fuel Filter Element, 10µ	293.00	10
FF/I	FFL/10-WB	Water Block Fuel Filter Element, 10µ	439.00	10
FUE	L FILTER - SPIN ON	CARTRIDGE STYLE		
FFS	5/10/BSP	Inlet/Outlet: 1" BSP(F), 10µ Filter Element	1,747.00	10
FFS	J/10WB/BSP	Inlet/Outlet: 1" BSP(F), 10µ Filter Water Block	1,868.00	10
FF/I	FFS/10	Replacement Cartridge, 10µ Filter Element	546.00	10
FF/I	FFS/10-WB	Replacement Cartridge, 10µ Filter Water Block	667.00	10
PORTABLE FUEL FILTER				
FUF	-/13	Filter designed to separate water & debris from fuel Flow rate: Upto 13 LPM	3,694.00	1
FUE	EL VENT CAP			NEW!
FVC	C/2	Fuel vent cap	714.00	1
FVC	C/2B	Fuel vent cap with 2" base	1,154.00	1
FUE	L DISPENSING KIT		1	
FDK	3/3-4/N</td <td>3m hose with manual fuel nozzle, Threaded: 3/4"</td> <td>4,269.00</td> <td>1</td>	3m hose with manual fuel nozzle, Threaded: 3/4"	4,269.00	1
FDK	(/3/0-1/N	3m hose with manual fuel nozzle, Threaded: 1"	4,775.00	1
FUE	FUEL HOSE			
ZSA	/HOS/FPM/12	3.6m hose with end connections, Threaded: 3/4"	1,948.00	1
ZSA	/HOS/FPM/12/HF	3.6m hose with end connections, Threaded: 1"	2,621.00	1

speciality pumps

	NYLON CHEMICAL PUMP					
	CMP/12	Nylon pump with stainless steel hardware, Suitable for use with detergents, mild acids, water, glycerine, acetone, lacquer etc., Delivers: Upto 400ml/stroke	2,649.00	10		
~	PLASTIC ROTARY PUMP					
\$	PRP/01	Suitable for water based fluids, acids, chemicals & oil based fluids, Delivers: Upto 250ml/rotation	3,749.00	6		
	PLASTIC LEVER PUMP					
	PLP/02	Suitable for water based fluids, detergents, soaps, windsheild fluids, oils, lubricants, agricultural chemicals, herbicides & pesticides, Delivers: Upto 500ml/stroke"	4,631.00	10		
- ABETA 151	DIAPHRAGM / BILGE PUMP					
36/	DPP/20	Designed to work in any position-vertical, horizontal or upside-down with water, oils, kerosene, diesel, petrol etc. Delivers: Upto 16.6 litres/minute	6,877.00	4		
. 9	POLYETHYLENE SIPHON PUMPS					
· 3 ·	SPH/1	For 5-20 litre packs, Discharge: 6.5 LPM	182.00	10		
	SPH/2	For 210 litre drums, Discharge: 17.5 LPM	717.00	25		
PYS	SPH/3	For 210 litre drums, Discharge: 21 LPM	1,103.00	25		

drum handling

0	DRUM WRENCH						
	DRW/AL-01	Opens 2" & 3/4" drum plugs	742.00	10			
~/	DRUM CRADLE						
	DRC/135	Tips, rotates, moves & stores 180 kg/210 litre drums	4,186.00	3			
	DRUM DOLLY						
	BDL/140S	For convenient movement of 180 kg/210 litre drums	4,628.00	2			
1	LOW PROFILE DRUM TROLLEY						
de	TRL/55	For convenient movement of 180 kg/210 litre drums	7,214.00	2			
4737	TROLLEY FOR PORTABLE OIL / GREASE SYSTEMS						
	TRL/180H	For convenient movement of 180 kg/205 litre drums. Includes base for mounting hose reel	15,769.00	1			
	TRL/50	For convenient movement of 50 kg/60 litre drums	10,490.00	1			
	DRUM FAUCET / TAP			NEW!			
- L	FAU/0-2	Polyethylene construction, Fits 2" threaded opening	733.00	25			
	FAU/3-4	Polyethylene construction, Fits 3/4" threaded opening	103.00	25			
	LI/FAU	Sight Glass for Drum Faucet 2"	698.00	1			

				april 2016		
	CAT NR.	DETAILS	MRP (₹)	MOQ.		
gran.	AIR BLOW GUNS - PROFESSIONAL					
	ABG/1/1-4F/BSP	Air blow gun (Nylon) with plastic tip	923.00	10		
	ABG/3/1-4F/BSP	Air blow gun (Nylon) with 4-1/2" SS Nozzle Tip	1,072.00	10		
4 (ABG/30/1-4F/BSP	Air blow gun (Polyacetal) with 4-1/2" (114 mm) long nozzle	509.00	60		
	LEVER AIR BLOW GUN -	PRO SERIES				
-	LAG/A/1-4/BSP	Lever air blow gun with 1/2" rubber tip	399.00	25		
-	LAG/C/1-4/BSP	Lever air blow gun with standard safety tip	299.00	25		
1	LAG/PS/1-4/BSP	Lever air blow gun with nozzle with 4" protective shield	499.00	10		
	LAG/T3/1-4/BSP	Lever air blow gun with extended reach aluminum tube 9" long	499.00	10		
	POLYURETHANE COIL HO	OSE				
	PUH/5BO/15/1-4/BSP	4.5m long x 5 mm ID, Threaded 1/4" BSP (M)	910.00	25		
	PUH/5BO/20/1-4/BSP	6m long x 5 mm ID, Threaded 1/4" BSP (M)	1,075.00	25		
Web.	PUH/5BO/25/1-4/BSP	7.5m long x 5 mm ID, Threaded 1/4" BSP (M)	1,240.00	25		
13	PUH/6BO/15/1-4/BSP	4.5m long x 6.50 mm ID, Threaded 1/4" BSP (M)	1,240.00	25		
Marine S	PUH/6BO/20/1-4/BSP	6m long x 6.50 mm ID, Threaded 1/4" BSP (M)	1,490.00	25		
Children .	PUH/6BO/25/1-4/BSP	7.5m long x 6.50 mm ID, Threaded 1/4" BSP (M)	1,780.00	25		
	PUH/10BO/15/3-8/BSP	4.5m long x 9.5 mm ID, Threaded 3/8" BSP (M)	1,855.00	25		
	PUH/10BO/20/3-8/BSP	6m long x 9.5 mm ID, Threaded 3/8" BSP (M)	2,290.00	25		
	PUH/10BO/25/3-8/BSP	7.5m long x 9.5 mm ID, Threaded 3/8" BSP (M)	2,720.00	25		
	DIGITAL PRESSURE GAU	GE				
	DPG/L/1-8/B	Threaded 1/8" BSPT (M)	2,398.00	10		
	DPG/L/1-4/B	Threaded 1/4" BSPT (M)	2,398.00	10		
~~	AIR LINE HOSE					
17	AH/1.5/1-4/BU	Hose Length: 1.5m	249.00	10		
1	AH/5/1-4/BU	Hose Length: 5m	767.00	10		
	ONE TOUCH AIR LINE FITTING					
(0	WP2110851	Thread: 1/4" BSPT (M)	116.00	20		
	FILTER REGULATOR COMBINATION WITH AIR GAUGE AND MOUNTING BRACKET					
(0)	FRC136134-S/GB	Miniature, Inlet/Outlet Port Size: 1/4" BSP, 550 LPM	1,592.00	1		
_ 💆	FRC156334-S/GB	Standard, Inlet/Outlet Port Size: 1/2" BSP, 3000 LPM	3,149.00	1		
- No.	FILTER - REGULATOR & LUBRICATOR - 2 PC WITH AIR GAUGE AND MOUNTING BRACKET					
	FRCLM136134-S/G	Miniature, Inlet/Outlet Port Size: 1/4" BSP, 500 LPM	2,828.00	1		
111	FRCLM156334-S/G	Standard, Inlet/Outlet Port Size: 1/2" BSP, 2800 LPM	3,149.00			

professional hand tools

0	DOUBLE FACE PLASTIC M	ALLET		
-	HMR/SF/25	Multipurpose striking tool for use in assembly application Head Dia: 25 mm	449.00	8
	MACHINIST'S HAMMER - I	DIN 1041		NEW!
	MHID/DIN/300G/13/OR	Head Weight: 300 gms	1,330.00	10
	MHID/DIN/500G/13/OR	Head Weight: 500 gms	1,430.00	10
-	MHID/DIN/800G/14/OR	Head Weight: 800 gms	1,530.00	8
	MHID/DIN/1000G/14/OR	Head Weight: 1000 gms	1,630.00	8
	1000V INSULATION PLIEF	RS	·	
1	Combination Pliers, Chro	ome Vanadium, 1000V Safe		
	CPL/CV/6	Length: 6"	318.00	72
	CPL/CV/7	Length: 7"	349.00	72
	CPL/CV/8	Length: 8"	385.00	54
1	Long Nose Pliers, Chrom	e Vanadium, 1000V Safe		
1	LNP/CV/6	Length: 6"	318.00	72
	LNP/CV/7	Length: 7"	349.00	72
	LNP/CV/8	Length: 8"	385.00	72
	Side Cutting Pliers, Chro	me Vanadium, 1000V Safe		
3	SCP/CV/6	Length: 6"	318.00	72
	SCP/CV/7	Length: 7"	349.00	72
	Plier Set			
	PLR/CV/ST3A	Includes 8" Combination Plier, 6" Long Nose Plier & 6" Side Cutting Plier	949.00	5
λ	CIRCLIP PLIERS			NEW
	CLP/ST/E/150	Length: 150 mm, External Straight	298.00	54
1//	CLP/ST/I/150	Length: 150 mm, Internal Straight	298.00	54
1 1 1	CLP/BND/E/150	Length: 150 mm, External Bent	298.00	54
1	CLP/BND/I/150	Length: 150 mm, Internal Bent	298.00	54

automoti	ve tools & acc	essories		april 2016
	CAT NR.	DETAILS	MRP (₹)	MOQ.
	REVERSIBLE RATCHETIN	G SPANNERS - CHROME VANADIUM		NEW!
(4)	CSP/RRT/8/UG	Size: 8 mm	798.00	5
(6)	CSP/RRT/10/UG	Size: 10 mm	848.00	5
	CSP/RRT/12/UG CSP/RRT/13/UG	Size: 12 mm Size: 13 mm	948.00	5
	CSP/RRT/14/UG	Size: 14 mm	1,098.00	 5
	CSP/RRT/17/UG	Size: 17 mm	1,298.00	5
66	CSP/RRT/19/UG	Size: 19 mm	1,398.00	5
	CSS/RRT/7ST/UG	8, 10, 12, 13, 14, 17, 19 mm Ratcheting Spanners Set	6,998.00	1
	SOCKETS & SOCKET SET	S		NEW!
	SKT/H/1-4/4/UG	1/4" Drive, Size: 4 mm	45.00	10
	SKT/H/1-4/4.5/UG	1/4" Drive, Size: 4.5 mm	45.00	10
	SKT/H/1-4/5/UG	1/4" Drive, Size: 5 mm	45.00	10
	SKT/H/1-4/5.5/UG	1/4" Drive, Size: 5.5 mm	45.00	10
	SKT/H/1-4/6/UG	1/4" Drive, Size: 6 mm	45.00	10
	SKT/H/1-4/7/UG	1/4" Drive, Size: 7 mm	45.00	10
	SKT/H/1-4/8/UG SKT/H/1-4/9/UG	1/4" Drive, Size: 8 mm 1/4" Drive, Size: 9 mm	45.00 45.00	10
	SKT/H/1-4/10/UG	1/4" Drive, Size: 10 mm	45.00	10
	SKT/H/1-4/11/UG	1/4" Drive, Size: 11 mm	45.00	10
	SKT/H/1-4/12/UG	1/4" Drive, Size: 12 mm	49.00	10
	SKT/H/1-4/13/UG	1/4" Drive, Size: 13 mm	52.00	10
	SKT/H/1-4/14/UG	1/4" Drive, Size: 14 mm	64.00	
	1/4" Hex Bit Sockets SKT/1-4/H3/UG	1/4" Drive, Size: H3	85.00	10
	SKT/1-4/H4/UG	1/4" Drive, Size: H4	85.00	10
	SKT/1-4/H5/UG	1/4" Drive, Size: H5	85.00	10
	SKT/1-4/H6/UG	1/4" Drive, Size: H6	85.00	10
	SKT/1-4/H7/UG	1/4" Drive, Size: H7	92.00	10
	SKT/1-4/H8/UG	1/4" Drive, Size: H8	92.00	10
	1/4" Torx Bit Sockets	1/4" Drive, Size: T8	9E 00	10
	SKT/1-4/T8/UG SKT/1-4/T10/UG	1/4" Drive, Size: 10	85.00 85.00	10
A -	SKT/1-4/T15/UG	1/4" Drive, Size: T15	85.00	10
2.4	SKT/1-4/T20/UG	1/4" Drive, Size: T20	85.00	10
111	SKT/1-4/T25/UG	1/4" Drive, Size: T25	85.00	10
1888°	SKT/1-4/T30/UG	1/4" Drive, Size: T30	85.00	10
Andrew Co.	SKT/1-4/T40/UG 1/4" Slotted Bit Sockets	1/4" Drive, Size: T40	85.00	10
	SKT/1-4/S4/UG	1/4" Drive, Size: S4	85.00	10
	SKT/1-4/S5.5/UG	1/4" Drive, Size: S5.5	85.00	10
	SKT/1-4/S7/UG	1/4" Drive, Size: S7	85.00	10
	1/4" Philips Bit Sockets			
	SKT/1-4/PH1/UG	1/4" Drive, Size: PH1	85.00	10
	SKT/1-4/PH2/UG SKT/1-4/PH3/UG	1/4" Drive, Size: PH2 1/4" Drive, Size: PH3	85.00 85.00	10
	1/4" Pozi Bit Sockets	y4 blive, Size. 1115	05.00	
	SKT/1-4/PZ1/UG	1/4" Drive, Size: PZ1	85.00	10
	SKT/1-4/PZ2/UG	1/4" Drive, Size: PZ2	85.00	10
	SKT/1-4/PZ3/UG	1/4" Drive, Size: PZ3	85.00	10
	3/8" Square Drive Hex S			
	SKT/H/3-8/6/UG	3/8" Drive, Size: 6 mm	49.00	15 15
	SKT/H/3-8/7/UG SKT/H/3-8/8/UG	3/8" Drive, Size: 7 mm 3/8" Drive, Size: 8 mm	49.00 49.00	15
	SKT/H/3-8/9/UG	3/8" Drive, Size: 9 mm	49.00	15
	SKT/H/3-8/10/UG	3/8" Drive, Size: 10 mm	49.00	15
	SKT/H/3-8/11/UG	3/8" Drive, Size: 11 mm	49.00	15
	SKT/H/3-8/12/UG	3/8" Drive, Size: 12 mm	57.00	15
5	SKT/H/3-8/13/UG	3/8" Drive, Size: 13 mm	59.00	15
	SKT/H/3-8/14/UG SKT/H/3-8/15/UG	3/8" Drive, Size: 14 mm 3/8" Drive, Size: 15 mm	68.00 71.00	15 12
	SKT/H/3-8/16/UG	3/8" Drive, Size: 16 mm	71.00	12
	SKT/H/3-8/17/UG	3/8" Drive, Size: 17 mm	98.00	10
	SKT/H/3-8/18/UG	3/8" Drive, Size: 18 mm	110.00	10
	SKT/H/3-8/19/UG	3/8" Drive, Size: 19 mm	110.00	10
	SKT/H/3-8/20/UG	3/8" Drive, Size: 20 mm	129.00	8
	SKT/H/3-8/21/UG SKT/H/3-8/22/UG	3/8" Drive, Size: 21 mm 3/8" Drive, Size: 22 mm	135.00	8
	1/2" Square Drive Hex S		135.00	
	SKT/H/1-2/8/UG	1/2" Drive, Size: 8 mm	74.00	15
	SKT/H/1-2/9/UG	1/2" Drive, Size: 9 mm	74.00	15
	SKT/H/1-2/10/UG	1/2" Drive, Size: 10 mm	74.00	15
	SKT/H/1-2/11/UG	1/2" Drive, Size: 11 mm	74.00	15
	<u> </u>			

SKT SKT SKT SKT SKT SKT SKT SKT	CAT NR. T/H/1-2/12/UG T/H/1-2/13/UG	DETAILS	MRP (₹)	
SKT SKT SKT SKT SKT SKT SKT SKT				MOQ.
SKT SKT SKT SKT SKT SKT SKT SKT	T/H/1-2/13/UG	1/2" Drive, Size: 10 mm	224.00	12
SKT SKT SKT SKT SKT SKT SKT SKT		1/2" Drive, Size: 11 mm	224.00	12
SKT SKT SKT SKT SKT SKT SKT	T/H/1-2/14/UG	1/2" Drive, Size: 12 mm	224.00	12
SKT SKT SKT SKT SKT	T/H/1-2/15/UG	1/2" Drive, Size: 13 mm	224.00	12
SKT SKT SKT SKT	T/H/1-2/16/UG	1/2" Drive, Size: 14 mm	224.00	12
SKT SKT SKT				
SKT SKT SKT	T/H/1-2/17/UG	1/2" Drive, Size: 15 mm	224.00	12
SKT SKT	T/H/1-2/18/UG	1/2" Drive, Size: 16 mm	237.00	12
SKT	T/H/1-2/19/UG	1/2" Drive, Size: 17 mm	242.00	10
	T/H/1-2/21/UG	1/2" Drive, Size: 18 mm	254.00	10
SKT	T/H/1-2/22/UG	1/2" Drive, Size: 19 mm	264.00	10
	T/H/1-2/23/UG	1/2" Drive, Size: 21 mm	264.00	10
	T/H/1-2/24/UG	1/2" Drive, Size: 22 mm	270.00	8
		1/2" Drive, Size: 23 mm	315.00	8
	T/H/1-2/26/UG			
	T/H/1-2/27/UG	1/2" Drive, Size: 24 mm	319.00	8
SKT	T/H/1-2/28/UG	1/2" Drive, Size: 26 mm	452.00	6
SKT	T/H/1-2/29/UG	1/2" Drive, Size: 27 mm	461.00	6
SKT	T/H/1-2/30/UG	1/2" Drive, Size: 28 mm	465.00	6
1/2	2" Square Drive Hex So	ockets - Deep		
	T/H/1-2/10D/UG	1/2" Drive, Size: 10 mm	224.00	12
	T/H/1-2/11D/UG	1/2" Drive, Size: 11 mm	224.00	12
SKT	T/H/1-2/12D/UG	1/2" Drive, Size: 12 mm	224.00	12
SKT	T/H/1-2/13D/UG	1/2" Drive, Size: 13 mm	224.00	12
SKT	T/H/1-2/14D/UG	1/2" Drive, Size: 14 mm	224.00	12
SKT	T/H/1-2/15D/UG	1/2" Drive, Size: 15 mm	224.00	12
All the same of	T/H/1-2/16D/UG	1/2" Drive, Size: 16 mm	237.00	12
100000	T/H/1-2/17D/UG	1/2" Drive, Size: 17 mm	242.00	10
V				
	T/H/1-2/18D/UG	1/2" Drive, Size: 18 mm	254.00	10
SKT	T/H/1-2/19D/UG	1/2" Drive, Size: 19 mm	264.00	10
SKT	T/H/1-2/21D/UG	1/2" Drive, Size: 21 mm	264.00	10
SKT	T/H/1-2/22D/UG	1/2" Drive, Size: 22 mm	270.00	8
SKT	T/H/1-2/23D/UG	1/2" Drive, Size: 23 mm	315.00	8
SKT	T/H/1-2/24D/UG	1/2" Drive, Size: 24 mm	319.00	8
	T/H/1-2/26D/UG	1/2" Drive, Size: 26 mm	452.00	6
			461.00	6
	T/H/1-2/27D/UG	1/2" Drive, Size: 27 mm		
SKI	T/H/1-2/28D/UG	1/2" Drive, Size: 28 mm	465.00	6
SKT	T/H/1-2/29D/UG	1/2" Drive, Size: 29 mm	470.00	6
SKT	T/H/1-2/30D/UG	1/2" Drive, Size: 30 mm	496.00	2
SKT	T/H/1-2/32D/UG	1/2" Drive, Size: 32 mm	541.00	2
SLI	IM LINE RATCHET HAN	DLE		
RTI	D/SL/1-4/UG	1/4" Drive Ratchet Handle	1,190.00	_
	D/SL/3-8/UG	3/8" Drive Ratchet Handle	,	. 5
DTI	D/SL/1-2/UG	3/0 Drive Natchet Handle	1/190.00	5
			1,490.00	5
RTI		1/2" Drive Ratchet Handle	1,490.00 1,947.00	
RTI	IAL DRIVE RATCHET HA		-	5
RTI DU		ANDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with	-	5
RTI DU	IAL DRIVE RATCHET HA	ANDLE	1,947.00	5 5 NEW!
RTI DU	IAL DRIVE RATCHET HA	ANDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with	1,947.00	5 5 NEW!
RTII DU.	D/DD/1-2/UG	NDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design	1,947.00	5 5 NEW!
RTI DU , RTI 1/2 :	D/DD/1-2/UG "SOCKET ACCESSORI	NDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design	1,947.00	5 5 NEW!
RTI DU. RTI	D/DD/1-2/UG " SOCKET ACCESSORI tension Bar	NDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design	1,947.00	5 5 NEW! 1
RTI DU. RTI	D/DD/1-2/UG "SOCKET ACCESSORIE tension Bar EXB/1-4/2/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2"	1,947.00	5 5 NEW! 1
RTIL DU. RTIL 1/2' Ext DR: DR: DR:	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4"	1,947.00 4,900.00 92.00 125.00	5 5 NEWI 1
RTIL DU. RTIL 1/2' Ext DR: DR:	D/DD/1-2/UG "SOCKET ACCESSORIE tension Bar EXB/1-4/2/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2"	1,947.00	5 5 NEWI 1
RTI DU. RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4"	1,947.00 4,900.00 92.00 125.00	5 5 NEWI 1
RTI DU. RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar tXB/1-4/2/UG tXB/1-4/4/UG tXB/3-8/3/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3"	1,947.00 4,900.00 92.00 125.00 145.00	5 5 NEW! 1
RTI DU RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG IXB/3-8/3/UG IXB/3-8/6/UG	1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6"	1,947.00 4,900.00 92.00 125.00 145.00 245.00	5 5 NEWI 1 10 10 5 5
RTI DU RTI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG IXB/3-8/3/UG IXB/3-8/6/UG IXB/3-8/6/UG IXB/1-2/5/UG IXB/1-2/10/UG	1/2" Drive Extention Bar, Size: 3" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 6"	92.00 125.00 145.00 245.00 277.00	5 5 NEWI 1 10 10 5 5 5
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG IXB/3-8/3/UG IXB/3-8/6/UG IXB/3-8/6/UG IXB/1-2/5/UG IXB/1-2/10/UG IAB/IAB/IAB/IAB/IAB/IAB/IAB/IAB/IAB/IAB/	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10"	92.00 125.00 145.00 245.00 277.00 488.00	5 5 NEW! 1 10 10 10 5 5 5
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADTOR EAD	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male	92.00 125.00 145.00 245.00 277.00 488.00	5 5 NEW! 1 10 10 10 5 5 5
RTI DU RTI 1/2' Ext DR: DR: DR: DR: Add: SAI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADP/3-8F/1-4M/UG DP/3-8F/1-2M/UG	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male	92.00 125.00 145.00 245.00 277.00 488.00	5 5 NEW! 1 10 10 10 5 5 5 5
RTI DU RTI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADP/3-8F/1-4M/UG DP/3-8F/1-2M/UG	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female To 3/4" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 5
RTI DU RTI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADP/3-8F/1-4M/UG DP/3-8F/1-2M/UG	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male	92.00 125.00 145.00 245.00 277.00 488.00	5 5 NEW! 1 10 10 10 5 5 5 5
RTI DU RTI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADP/3-8F/1-4M/UG DP/3-8F/1-2M/UG	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female To 3/4" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00	5 5 Newi 1 10 10 10 5 5 5 5 5
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EADP/3-8F/1-4M/UG DP/3-8F/1-2M/UG DP/1-2F/3-4M/UG	INDLE 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design ES 1/4" Drive Extention Bar, Size: 2" 1/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" 1/2" Drive Extention Bar, Size: 5" 1/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female To 3/4" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00	5 5 Newi 1 10 10 10 5 5 5 5 5
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/10/UG EXB/1-2/UG EXB/1-2/UG EXB/1-2/UG EXB/1-2/UG EXB/10/UG EXB/1	Indicates the state of the stat	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 5
RTI DU RTI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/10/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10
PRILE DU RTI PU Ext DR DR DR DR DR Add SAI SAI SAI SKI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/3-8/3/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/10/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10
RTIL DU. RTIL 1/22 Ext DR: DR: DR: DR: Ad: SAI SAI SAI SKI	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG IXB/3-8/3/UG IXB/3-8/6/UG IXB/1-2/5/UG IXB/1-2/5/UG IXB/1-2/10/UG IAMPORT I	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 1/2" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male	92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/10/UG EXB/1-2/5/1-4M/UG EXB/1-2/5/1-4M/UG EXB/1-2/5/1-4/UG EXB/1-2/5/1-1/10/UG EXB/1-1/10/UG EXB/1-1/10/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm	92.00 125.00 145.00 245.00 245.00 277.00 488.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 5 5
RTI DU	D/DD/1-2/UG "" SOCKET ACCESSORII tension Bar IXB/1-4/2/UG IXB/1-4/4/UG IXB/3-8/3/UG IXB/3-8/6/UG IXB/1-2/5/UG IXB/1-2/5/UG IXB/1-2/10/UG IAMPORT AM/UG IAMPORT AM	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male	1,947.00 4,900.00 92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00 147.00 173.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 5
RTI DU RTI PU Ext DR DR DR DR DR Add SAI SAI SAI SKI SIT SLT	DP/1-2F/3-8M/UG DP/1-2/BF/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-4M/UG DP/1-2/SP/16/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm	92.00 125.00 145.00 245.00 245.00 277.00 488.00 135.00 289.00 158.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 5 5
RTI DU RTI PU RTI PU RTI PU RTI PU PU PU PU PU PU PU P	DP/1-2F/3-8M/UG DP/1-2/BF/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-4M/UG DP/1-2/SP/12/UG	India 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/2" Drive Sliding T Handle	92.00 125.00 145.00 245.00 245.00 289.00 158.00 147.00 173.00	5 5 NEWI 1 10 10 10 5 5 5 5 5 5 5 10 10 5 5
RTI DU RTI PU RTI PU RTI PU RTI PU PU PU PU PU PU PU P	DP/1-2F/3-8M/UG DP/1-2/BF/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-4M/UG DP/1-2/SP/16/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm	92.00 125.00 145.00 245.00 245.00 277.00 488.00 135.00 289.00 158.00	5 5 NEWI 1 10 10 10 5 5 5 5 5 5 5 10 10
RTI DU RTI PU RTI PU RTI PU RTI PU PU PU PU PU PU PU P	DP/1-2F/3-8M/UG DP/1-2/BF/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-4M/UG DP/1-2/SP/12/UG	India 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/2" Drive Sliding T Handle	92.00 125.00 145.00 245.00 245.00 289.00 158.00 147.00 173.00	5 5 NEWI 1 10 10 10 5 5 5 5 5 5 5 10 10 5 5
RTI DU RTI RTI DU RTI	DP/1-2F/3-8M/UG DP/1-2/BF/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-8M/UG DP/1-2F/3-4M/UG DP/1-2/SP/12/UG	India 1/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/2" Drive Sliding T Handle	92.00 125.00 145.00 245.00 245.00 289.00 158.00 147.00 173.00	5 5 NEWI 1 10 10 10 5 5 5 5 5 5 5 10 10 5 5
RTI DU RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/5/UG EXB/1-2/10/UG EXB/1-2/UG EXB/1-4/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/2" Drive Sliding T Handle	1,947.00 4,900.00 92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00 147.00 173.00 219.00 554.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10 10
RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/5/UG EXB/1-2/10/UG EXB/1-2/F/3-8M/UG EXB/1-2/F/3-8M/U	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/4" Drive Spinner Handle	1,947.00 4,900.00 92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00 147.00 173.00 219.00 554.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10 10
RTI	D/DD/1-2/UG "SOCKET ACCESSORII tension Bar EXB/1-4/2/UG EXB/1-4/4/UG EXB/3-8/3/UG EXB/3-8/6/UG EXB/3-8/6/UG EXB/1-2/5/UG EXB/1-2/5/UG EXB/1-2/10/UG EXB/1-2/UG EXB/1-4/UG	I/2" Drive Ratchet Handle, 52 teeth gear design with twist action handle design I/4" Drive Extention Bar, Size: 2" I/4" Drive Extention Bar, Size: 4" 3/8" Drive Extention Bar, Size: 3" 3/8" Drive Extention Bar, Size: 6" I/2" Drive Extention Bar, Size: 5" I/2" Drive Extention Bar, Size: 10" Adaptor 3/8" Female to 1/4" Male Adaptor 3/8" Female to 1/2" Male Adaptor 1/2" Female To 3/4" Male Adaptor 1/2" Female To 3/8" Male I/2" Hex Spark Plug Socket, 16 mm I/2" Hex Spark Plug Socket, 21 mm I/4" Drive Sliding T Handle I/2" Drive Sliding T Handle	1,947.00 4,900.00 92.00 125.00 145.00 245.00 277.00 488.00 82.00 135.00 289.00 158.00 147.00 173.00 219.00 554.00	5 5 NEW! 1 10 10 10 5 5 5 5 5 10 10

				aprii 2
	CAT NR.	DETAILS	MRP (₹)	MOQ.
	Speeder Handle			
1	SPDH/1-2/UG	1/2" Drive Speeder Handle	1,215.00	5
	Flex Handle			
	DFH/1-2HD/15/UG	1/2" Drive Flexible Head with Rubber Handle 380 mm	1,243.00	5
	Flexible Rod			
	FLEX/1-4/UG	14" Drive Flexible Rod	155.00	10
	L Handle			
	LDH/1-2/UG	1/2" Drive L Handle	552.00	5
17	SOCKET SETS			
2.5	1/2" Square Drive Socke	et Set - 27 Pcs		
	KIT/SKT/H/1-2/27/UG	Includes 22 pcs 1/2" Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 29, 30, 32 mm, Extension Bar - 5", 10", Universal Joint, Sliding T-Bar, Ratchet Handle	7,149.00	5
	1/4" Square Drive Socket Set - 42 Pcs			
	KIT/SKT/H/1-4/42/UG	Includes 13 pcs 1/4" Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm, Hex Bit Socket - 3,4,5,6,7,8 mm, Slotted Bit Socket - 4,5.5,7 mm, Philips Bit Socket - PH1, PH2, PH3, Pozi Bit Socket - PZ1, PZ2, PZ3, Torx Bit Socket - T8, T10, T15, T20, T25, T30, T40, Extension Bar - 2", 4", Spinner Handle, Flexible Extension, Universal Joint, Sliding T Bar, Ratchet Handle	4,305.00	10
	SOCKET ON RAILS			
	KIT/SKT/H/1-4/13L/UG	13 pcs 1/4" Drive Socket Set on Rail, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	898.00	5
	KIT/SKT/H/1-4/9LH/UG	9 pcs 1/4" Drive Socket & Ratchet Set on rail, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm,	1,698.00	5
	KIT/SKT/H/3-8/8L/UG	8 pcs 3/8" Drive Socket Set on Rail, 6, 8, 10, 12, 13, 14, 17, 19 mm,	749.00	5
	KIT/SKT/H/3-8/9LH/UG	9 pcs 3/8" Drive Socket & Ratchet Set on Rail, 6, 8, 10, 12, 13, 14, 17, 19 mm,	2,448.00	5
	KIT/SKT/H/1-2/9L/UG	9 pcs 1/2" Drive Socket Set on Rail, 9, 10, 12, 13, 14, 17, 19, 22 mm,	1,098.00	5
	KIT/SKT/H/1-2/11LH/UG	11 pcs 1/2" Socket & ratchet Set on Rail, 8, 9, 10, 12, 13, 14, 17, 19, 22, 24 mm	3,198.00	5
V diame	SOCKET MERCHANDISE	R		NEW!
3.5	SKT/H/1-2/UG/ST50	Socket Merchandiser with 49 sockets of following sizes, 10 mm (7), 13 mm (7), 17 mm (7), 19 mm (6), 22 mm (5), 24 mm (5), 27 mm (4), 30 mm (4), 32 mm (4)	9,345.00	1

tool box

5 TRAY CANTILEVER TOOL BOX			
MTB/5	Cantilever tool box made from heavy gauge steel sheet.	2,998.00	1
	440 mm x 200 mm x 200 mm		

hydraulic jacks

9273 %	HYDRAULIC BOTTLE JACKS			
	JACK/BT/4	Capacity: 4 ton	1,893.00	1
	JACK/BT/12	Capacity: 12 ton	3,866.00	1
	JACK/BT/20	Capacity: 20 ton	5,624.00	1
	JACK/BT/32	Capacity: 32 ton	10,955.00	1
	JACK/BT/50	Capacity: 50 ton	16,398.00	1

bench vices & clamps

	PROFESSIONAL MECHANIC'S VICES - BENCH VICES					
-40	BV/F/75	Jaw Width: 75 mm, Jaw Opening: 100 mm, Net wt. 5.5 Kg	2,530.00	4		
	BV/F/100	Jaw Width: 100 mm, Jaw Opening: 125 mm, Net wt. 9.7 Kg	3,806.00	3		
	BV/F/125	Jaw Width: 125 mm, Jaw Opening: 150 mm, Net wt. 14.7 Kg	5,167.00	2		
	BV/F/150	Jaw Width: 150 mm, Jaw Opening: 175 mm, Net wt. 18.2 Kg	6,710.00	1		
	BV/F/200	Jaw Width: 200 mm, Jaw Opening: 200 mm, Net wt. 30.40 Kg	10,632.00	1		
	G CLAMPS - SG IRON					
	GCL/13D/50	Capacity: 50 mm, Throat Depth: 42 mm, Frame Proof Load: 363 Kg	303.00	20		
	GCL/13D/75	Capacity: 75 mm, Throat Depth: 44 mm, Frame Proof Load: 455 Kg	388.00	20		
	GCL/13D/100	Capacity: 100 mm, Throat Depth: 59 mm, Frame Proof Load: 545 Kg	451.00	20		
	GCL/13D/150	Capacity: 150 mm, Throat Depth: 75 mm, Frame Proof Load: 635 Kg	579.00	15		

	CAT NR.	DETAILS	MRP (₹)	MOQ.
	GCL/13D/200	Capacity: 200 mm, Throat Depth: 80 mm, Frame Proof Load: 775 Kg	893.00	8
	GCL/13D/250	Capacity: 250 mm, Throat Depth: 90 mm, Frame Proof Load: 1000 Kg	1,388.00	8
	GCL/13D/300	Capacity: 300 mm, Throat Depth: 100 mm, Frame Proof Load: 1135 Kg	1,750.00	8

punches & chisels

STEEL STAMPS -	NUMBERS & LETTERS			
Steel Stamps - N	umbers			
NP/1	1 mm	203.00	10	
NP/2	2 mm	203.00	10	
NP/3	3 mm	258.00	10	
NP/4	4 mm	281.00	10	
NP/5	5 mm	367.00	10	
NP/6	6 mm	469.00	10	
NP/8	8 mm	619.00	10	
NP/10	10 mm	868.00	4	
NP/12	12 mm	1,430.00	4	
Steel Stamps - Letters Steel Stamps - Letters				
LP/1	1mm	610.00	10	
LP/2	2 mm	610.00	10	
LP/3	3 mm	774.00	10	
LP/4	4 mm	845.00	10	
LP/5	5 mm	1,103.00	10	
LP/6	6 mm	1,407.00	10	
LP/8	8 mm	1,857.00	10	
LP/10	10 mm	2,603.00	4	
LP/12	12 mm	4,291.00	4	
CENTRE PUNCH	ES			
CP/5-64	Point Size: 5/64" (2 mm), Body Dia. 5/16" (8 mm)	85.00	20	
CP/5-32	Point Size: 5/32" (4 mm), Body Dia. 3/8" (10 mm)	85.00	20	
CP/1-4	Point Size: 1/4" (6 mm), Body Dia. 7/16" (11 mm)	109.00	25	
AUTOMATIC CEI	NTRE PUNCH			
ACP/1B	Body Dia. 13 mm, Overall Length: 120 mm	190.00	25	

handyman's hacksaw

^	HANDYMAN'S HACKSA	W			
1	HF/15/BS	Die cast handle with Tubular frame, Adjustable for 10" & 12" blade, Complete with 12" (300 mm) chrome alloy steel blade	337.00	12	
^	HACKSAW FRAMES - PR	OFESSIONAL			
	HF/12/RB	Red handle, Black frame hacksaw, Complete with 12" (300 mm) chrome alloy steel blade	360.00	10	
1	HF/12/BC	Blue handle, Chrome frame hacksaw, Complete with 12" (300 mm) chrome alloy steel blade	391.00	10	
^	ADJUSTABLE TENSION	HACKSAW	<u> </u>		
2	HF/40/BL	Overall length: 425 mm, Height: 165 mm, Depth of Bow: 100 mm	704.00	20	
	HACKSAW BLADES				
0000	HB/C/03/ST	Length: 300 mm, TPI: 18, Pack Qty. 10 Blades	153.00	10	
	HB/C/04/ST	Length: 300 mm, TPI: 24, Pack Qty. 10 Blades	153.00	10	
1111	HB/C/03/ST100	Length: 300 mm, TPI: 18, Pack Qty. 100 Blades	1,378.00	1	
Ш	HB/C/04/ST100	Length: 300 mm, TPI: 24, Pack Qty. 100 Blades	1,378.00	1	
	BI-METAL HACKSAW BLADES (CHROME STEEL)				
1111	Bimetal - HSS				
- 11111	HB/BM/12/18/ST-100	Length: 300 mm, TPI: 18, Pack Qty. 100 Blades	6,000.00	1	
	HB/BM/12/32/ST-100	Length: 300 mm, TPI: 24, Pack Qty. 100 Blades	6,000.00	1	
	Bimetal 8% Cobalt - HSS	3			
3 3 3 3	HB/BC/12/18/ST-100	Length: 300 mm, TPI: 18, Pack Qty. 100 Blades	7,500.00	1	
	HB/BC/12/32/ST-100	Length: 300 mm, TPI: 24, Pack Qty. 100 Blades	7,500.00	1	

screwdrivers

	RETRACTABLE CARTRIDGE MULTI BIT SCREWDRIVER - RETRA DRIVE				
A STATE OF THE PARTY OF THE PAR	RD/SD/2	All purpose bit load driver with 7 double end professional quality bits	1,399.00	6	
	RD/SD/7R	Solid core ratchet with 28 tooth ratchet design, 6 double end professional quality bits	2,499.00	6	

utility knife

	RETRA KNIFE			NEW!
	KNV/R/6	Retractable Knife	1,299.00	6
ALT	BLD/KNV/R/ST12	Set of 12 blades	398.00	10

led work	alights			april 2016	
EB	CAT NR.	DETAILS	MRP (₹)	MOQ.	
	LED DRY CELL MULTI	USE WORK LIGHT			
	LED/301	18 Super Brigh LED's, 28 Lumens 6 Red LED's on the side flash for signalling emergency, additional 7 LED's on top for use as a flash light (18 Lumens), aluminum body, magnet built into the base, Includes hang rope, 3 Duracell AAA batteries included	1,545.00	1	
	LED DRY CELL INSPEC	CTION LAMP			
	LED/320	24 Super Bright LED's, 48 Lumens Magnet built-into the back for hands free use, 360° swivel hook, 3 Duracell AA batteries included	770.00	1	
	POCKET LED MINI WO	PRK LIGHT			
1	LED/330	7 Bright LED's ABS body with rubberized housing, magnet built into the back, moulded swivel clip, 3 Duracell AAA batteries included	580.00	1	
-	LED 3W RECHARGEA	BLE SPOTLIGHT			
7	LED/401	CREE 3W LED, 140 Lumens, 500m beam distance, Rechargeable Lithium Ion Battery, Includes both AC adapter & Car Charger	3,750.00	1	
	LED 3 W PROFESSION	IAL HEAD LIGHT			
	LED/200	100 Lumens, 100m beam distance, 1X to 2000X zoom, ABS body with machined aluminium lens holder, 3 Modes: Low height & flash, 3 Duracell AAA batteries included	1,570.00	1	
	LED HEAD LIGHT				
0	LED/210	3 Modes: 8 White LED, 1 Red LED, 1 Red Flashing LED, 12 Lumens, 10m Beam Distance, 1 Duracell AA batteries included	855.00	1	
	LED FLASHLIGHT WITH TELESCOPIC MAGNETIC PICK-UP				
	LED/130	3 LED's in the front help to reach out in dark areas, 8 lumens machined high quality aluminium flashlight that doubles as a magnetic pick up tool	798.00	1	
	LED FLASHLIGHT				
	LED/100	18 Lumens, 20m beam distance, 2 Modes: White LED & 1 Red laser pointer, 3 Duracell AAA batteries included	685.00	1	
	LED UV INSPECTION I	IGHT			
	LED/120	Emits long wave ultraviolet light at a wavelength of 385Nm, Machined high quality aluminum body, 3 Duracell AAA Batteries included	825.00	1	
-	4 ALUMINIUM MINI FL	ASH LIGHTS			
	LED/110	35 Lumens, 30m beam distance, Soft rubber grip & belt clip, 2 AA & 8 button batteries included	1,160.00	1	

merchandiser

	WALL MOUNTING BRACK	ET		NEW!	
	DI	Wall mounting bracket for pumps with 2" threading	1,200.00	1	
	MINIATURE STEEL DRUM	WITH 42" FEMALE THREADED OPENINGS		NEW!	
9	D2	Miniature steel drum with 2" threaded slots for mounting 4 pumps	5,500.00	1	
TO STATE OF THE PARTY OF THE PA	HEAVY DUTY STAND				
	D5	Heavy duty merchandiser with perforation & shelving for products display	24,150.00	1	
*	PYRAMID DESIGN DISPLAY STAND				
	D6	Pyramid design floor mounted stand for display of Bench & Machine Vices. (Supplied without vices)	13,230.00	1	
1/1	3 PC WOODEN HAMMER STAND				
4	D7	3 Pc wooden hammer stand. (Supplied without tools)	2,000.00	1	
	TORQUE WRENCHES MERCHANDISER			NEW!	
	D10	Torque wrenches merchandiser for display of 6 torque wrenches. (Supplied without tools)	5,000.00	1	

				aprii 2010
A Sec.	CAT NR.	DETAILS	MRP (₹)	MOQ.
70	HAMMER DISPLAY STAND FOR 16 HAMMERS			
4	D12	Hammer display stand for 16 hammers. (Supplied without tools)	8,282.00	1
A Company of the	LED DISPLAY STAND WITH PERFORATED SHEET			
	D14	Led display stand with perforated sheet. (Supplied without product)	5,000.00	1
	GREASE CARTRIDGE MERCHANDISER STAND			NEW!
	D19	Grease cartridge merchandiser stand. (Supplied without products)	2,000.00	1





Manufacturing Facilities

Gurgaon, Noida & Chennai

East:

Representative Offices in India:

North: New Delhi, Gurgaon, Faridbad, Ghaziabad, Lucknow, Haridwar,

Chandigarh, Ludhiana, Jaipur, Udaipur, Indore, Satna Kolkata, Guwahati, Bhubaneswar, Raipur, Jamshedpur

Mumbai, Pune, Nagpur, Ahmedabad, Rajkot West:

South: Hyderabad, Bangalore, Chennai, Coimbatore, Vizag

TERMS & CONDITIONS FOR SUPPLY

- Price List is effective from April, 2016
- 2. 3. This price list supersedes all previous Price Lists
- These price are inclusive of all taxes and duties.
- 4. Prices are subject to change and those ruling on the date of the dispatch would be applicable
- All duties are subject to Gurgaon Jurisdiction (Haryana)